

<https://helda.helsinki.fi>

On the scent of an animal skin : new evidence on Corded Ware mortuary practices in Northern Europe

Ahola, Marja Elina

2018-02-09

Ahola , M E , Kirkinen , T K , Vajanto , K & Ruokolainen , J 2018 , ' On the scent of an animal skin : new evidence on Corded Ware mortuary practices in Northern Europe ' , Antiquity , vol. 92 , no. 361 , pp. 118-131 . <https://doi.org/10.15184/aqy.2017.188>

<http://hdl.handle.net/10138/311582>

<https://doi.org/10.15184/aqy.2017.188>

acceptedVersion

Downloaded from Helda, University of Helsinki institutional repository.

This is an electronic reprint of the original article.

This reprint may differ from the original in pagination and typographic detail.

Please cite the original version.

[For Research section]

On the scent of an animal skin: new evidence on Corded Ware mortuary practices in Northern Europe

Marja Ahola^{1*}, Tuija Kirkinen¹, Krista Vajanto² & Janne Ruokolainen²

¹ Department of Philosophy, History, Culture and Art Studies, P.O. Box 59, FI-00014 University of Helsinki, Finland

² Nanomicroscopy Center, Aalto University, Puumiehenkuja 2, FI-02150 Espoo, Finland

* Author for correspondence (Email: marja.ahola@helsinki.fi)

Received: 1 December 2016; Accepted: 3 March 2017; Revised: 17 March 2017

<LOCATION MAP, 6.5cm colour, place to left of abstract and wrap text around>

The Late Neolithic Corded Ware Culture (c. 2800–2300 BC) of Northern Europe is characterised by specific sets of grave goods and mortuary practices, but the organic components of these grave sets are poorly represented in the archaeological record. New microscopic analyses of soil samples collected during the 1930s from the Perttulanmäki grave in western Finland have, however, revealed preserved Neolithic animal hairs. Despite mineralisation, the species of animal has been successfully identified and offers the oldest evidence for domestic goat in Neolithic Finland. The presence of domestic goat indicates a pastoral herding economy, but the mortuary context of the goat hair also suggests that animals played a significant role in the Corded Ware belief system.

Keywords: Finland, Neolithic, Corded Ware, mortuary practice, animal husbandry

Introduction

The Corded Ware phenomenon of Northern and Central Europe (c. 2900–2000 cal BC), despite being named from its characteristic pottery, is frequently associated with strictly regulated mortuary practices (e.g. Ebbesen 2006; Haak *et al.* 2008; Meyer *et al.* 2009). Even though there is some variation (Furholt 2014: 75–76 and references therein), the Corded Ware deceased were often placed in a crouched position, with gender differentiation reflected in the orientation of the body. The grave goods (e.g. ground-stone battle axes, cord-decorated beakers and bone, and amber and copper pendants and ornaments) are likewise prescribed by gender and placed around the body (Larsson 2009: 60–62 and references therein).

Although the material culture used in Corded Ware funerary rituals is well known, a full appreciation of the associated mortuary practices is still lacking. In fact, even though evidence for

internal wooden and stone structures is commonly documented in Corded Ware mortuary contexts (e.g. Fischer 1956; Malmer 1962; Hansen 1994; Vander Linden 2007), detailed information on the ways that structures within the grave might have been furnished is largely missing. The use of textiles, mats and furs to cover grave pit walls and floors is commonly documented in Yamnaya Culture graves (Heyd 2011). This culture represents the best-known proxy for the incoming gene-flow that occurred in Europe during the third millennium BC, resulting in the formation of the Corded Ware phenomenon (Allentoft *et al.* 2015; Haak *et al.* 2015; Kristiansen *et al.* 2017). Similar practices may, therefore, have occurred in the Corded Ware tradition. In fact, the Corded Ware graves already show strong affinities to the Yamnaya burial rituals; for example, in the practice of a single inhumation under a barrow (Kristiansen *et al.* 2017: 336).

New information on Corded Ware mortuary practices has come from the northern periphery of the cultural area. The results are based on microscopic analyses conducted on soil samples collected from the Perttulanmäki Corded Ware grave in western Finland (Figure 1). These analyses suggest that a goat skin had been placed in the grave. This discovery is important as it provides clear evidence of a mortuary practice that has only in rare cases been previously suspected (e.g. Torvinen 1979; Meurkens *et al.* 2015).

<FIGURE 1, 13.5cm colour>

The Corded Ware phenomenon in the Finnish territory

The Corded Ware phenomenon has commonly been associated with a mixed pastoral and arable economy (e.g. Hecht 2007; Lõugas *et al.* 2007; Larsson 2009: 71; Müller *et al.* 2009; Sjögren *et al.* 2016). In Finland, however, no clear evidence of cultivation or animal herding has so far been discovered. Instead, the Finnish Corded Ware phenomenon (*c.* 2800/2700–2300 BC) is characterised by the appearance of cord-decorated pottery and battle axes in archaeological contexts (e.g. Äyräpää 1923, 1939; Edgren 1970, 1984; Nordqvist & Häkälä 2014). Artefact distributions show that the core area of Corded Ware settlement was in southern and western Finland (Figure 1). In contrast to the evidence from other regions, Finnish Corded Ware was also associated with large numbers of settlement sites, which are often found in the locations of Early Neolithic (*c.* 5200–3900 cal BC) hunter-gatherer settlements (Äyräpää 1923: 26–27; Edgren 1984: 75; Nordqvist & Häkälä 2014).

No domestic faunal remains dating to the Corded Ware period have so far been discovered in Finland, yet the location of Finnish Corded Ware settlements on previously occupied dwelling sites with fertile soils have been seen as indicative of a subsistence culture that relied on a pastoral economy (Äyräpää 1939: 118; Edgren 1984: 75; Bläuer & Kantanen 2013). This interpretation has

been further supported by recent lipid analyses conducted on Finnish Corded Ware pottery, which confirm the presence of milk fats derived from domestic livestock (Cramp *et al.* 2014). Estonian Neolithic animal bone material also suggests that sheep, cattle and pigs were present south of the Gulf of Finland during the Corded Ware period (Lõugas *et al.* 2007); the absence of domestic animal bones from Finland could, therefore, simply be due to taphonomic processes as unburnt osseous material is generally not preserved in the acidic soil of Finland.

The dearth of preserved organic materials has also complicated the study of Corded Ware mortuary practices in Finland. Most of the sites interpreted as Corded Ware burials are actually stray finds of Corded Ware pottery or axes with no associated burial structures (Lappalainen 2007: 5–6).

Knowledge of Corded Ware mortuary rites in Finland is therefore based mainly on the few sites that provide evidence of a possible grave feature together with grave goods typical of the period (e.g. Kivikoski 1934; Edgren 1958; Siiriäinen 1974; Torvinen 1979; Purhonen 1986). From these, it seems that most of the burials discovered are pit graves, which are also common in areas of northern and central Poland and the Baltic States (Larsson 2009: 61). It must be noted, however, that the quantity of graves is small, and in many cases, the grave structure has been destroyed (e.g. by later land use), or only partially excavated. Our understanding of Finnish Corded Ware graves and mortuary practices is thus fragmentary at best.

Previous studies at the Perttulanmäki site

The Perttulanmäki grave is located in Kauhava municipality in southern Ostrobothnia (Figure 1), and lies at the very northern border of the Corded Ware's cultural sphere of influence in Finland. It was discovered in the early 1930s by local farmers who found sherds of Corded Ware pottery, a stone chisel and a fragmented adze (Figure 2) from an area of “black soil with a length of nearly two meters” (Äyräpää 1930: 1). Archaeologist Aarne Äyräpää subsequently conducted excavations at the site, revealing a partly preserved grave furnished with another stone adze (Figure 2). As a fragment of human molar enamel was discovered near the adze, Äyräpää (1931: 6) concluded that the structure was indeed a grave.

<FIGURE 2, 13.5cm colour>

The Perttulanmäki grave was discovered at a depth of approximately 0.35m and follows the tradition of a pit grave (Äyräpää 1931: 4). The grave structure, seen clearly on the north–south profile (Figure 3), consisted of a dark feature 2.25m in width with forked ends (Figure 4) (Äyräpää 1931: 4–5). According to Äyräpää's excavation report, this feature lay within a larger, nearly rectangular pit with vertical sides. The feature was first recorded at a depth of 0.35m as a circular layer of dark soil that, at a depth of 0.7m, covered the whole area of the grave. At this depth, the

dark layer was rectangular in shape, with a slightly wavy outline and hook-like extensions at its south-west and north-east corners (Figure 5b). Discovery of the adze and molar enamel at this depth indicated that this was the burial layer.

<FIGURE 3, 13.5cm greyscale>

<FIGURE 4, 13.5cm greyscale>

<FIGURE 5, 13.5cm greyscale>

To identify the nature of the dark feature, Äyräpää (1931: 12) took approximately 0.5L soil samples from the north-west (sample NM 9252:2) and the south-east (sample NM 9252:3) ends of the feature at a depth of 0.6–65m. Further samples were taken from the south-east end of the feature at a depth of 0.7–72m (sample NM 9252:4), and adjacent to the molar fragment (sample NM 9252:5) at a depth of 0.8–0.9m. Figure 5 details the location of these samples. The soil samples were chemically and microscopically analysed to determine their composition, and the results were published by Äyräpää in 1931. The aim of chemical analysis was to ascertain whether the sampled feature was of animal or vegetable origin. Without comparative material from outside the grave, the small amounts of detected nitrogen (N), sulphur (S) and iron (Fe) offered no clear proof of animal or vegetable origin for the sampled features. Fibres were, however, discovered within the soil samples, however, and were examined by textile specialist Tyyni Vahter and zoologist V.A. Korvenkontio, using optical microscopy. Both researchers identified single fibres with a scale structure characteristic of animal hair, and hypothesised that the fibres were probably sheep hair or wool. Combining this information with the morphological features of the grave structure, Äyräpää (1931: 10–11) concluded that the dark feature represented a chamber-like structure made from two layers of animal skin attached to wooden poles at the outer corners.

Research material and methods

In 2015, we reanalysed the soil samples microscopically and selected possible fibre fragments for further analysis. The fibre material selected was around 0.5–2 mm long, with a diameter of 15–39µm. The hair fragments were also reanalysed. These were originally sampled in 1931 and curated on 17 microslides (NM 9252:2–5). Modern reference material for the study was acquired from the Fennoscandian wild mammal hair collection at the Finnish Museum of Natural History of the University of Helsinki. The Falkulla Domestic Animal Farm played an essential role by providing hair material from local domestic breeds, i.e. the Finnish Landrace goat (*Capra hircus*), Finnsheep (*Ovis aries*) and Finncattle (*Bos taurus*). Each fibre sample was placed on double-sided carbon tape, which was fastened to aluminium stubs. The hairs were coated with a 5nm-thick layer of carbon (C) using a Leica ACE 600 sputtering device. As the carbon caused considerable charging for the fully

organic modern reference samples, these were additionally coated with a 5nm-thick layer of platinum (Pt).

The SEM imaging was performed using a Zeiss Sigma VP scanning electron microscope. The micrographs were created by collecting secondary electrons. The acceleration voltage was 2–3kV for the archaeological samples and approximately 1.5kV for the modern references. The hair cuticle pattern was documented micrographically according to the longitudinal hair line. Unfortunately, the fibres were so brittle that sample preparation for observing cross-sections by SEM or TEM (transmission electron microscopy) was not possible. The key features for fibre identification were the diameter, medulla form, cross-section form and cuticular scale structure (Figure 6).

Identification was based on keys in Appleyard (1978), Rast-Eicher (2016) and the online source produced by Furskin Co. (2011), which offers a wide variety of reference material. The descriptors for verbal classifications followed Teerink (2003) and Furskin Co. (2011). The microslides and the samples prepared for SEM analysis are stored with the excavation finds and remaining soil samples at the Finnish National Board of Antiquities.

<FIGURE 6, 13.5cm colour>

Results

We identified a total of 21 fibres of animal origin. All the material was highly fragmented and mineralised, thus verifying its archaeological origin; no modern contaminants (e.g. finely coloured wool fibres and the like) were observed. In total, the cuticular scale structure was detected in 18 fibres. In only 10 fibres were the scales in suitable condition for identification. The diameter and the scale structure indicate that the hairs were mostly fine (15–22µm) and intermediate (27–28µm) hairs. One was identified as an intermediate/guard hair (39µm).

In the fine hairs of the Perttulanmäki samples, the scales were of cornet type (Figure 7). This scale structure is common and can be found in both domestic and wild Artiodactyla, in the tip and root sections of the fine hairs of the European beaver (*Castor fibre*), and also in some predators (e.g. pine marten (*Martes martes*) and wolverine (*Gulo gulo*) (Appleyard, 1978). Only one fibre from our samples had a tapered shaft; it most probably originated from the distal end of the hair. Tentatively, the other hairs originated from the shafts of the hair.

<FIGURE 7, 6.5cm colour>

In intermediate/guard hairs the scales were rounded/crenated tile-like scales. In some of these hairs, the shape of the shaft results in a biconcave or dumbbell-shaped cross-section (Figure 8; Teerink 2003: 11). Even though the structure of the medulla was not identifiable, the medullary index (the ratio between medulla and hair diameter) was 1:2 at its largest. These qualities, combined with the

cornet-like structure of the fine hairs, match only to domestic goat. Comparisons of the hairs with the Finnish Landrace goat are presented in Figures 8, 9 and 10. On the basis of these features, the samples were identified as a goat.

<FIGURE 8, 13.5cm colour>

<FIGURE 9, 13.5cm colour>

<FIGURE 10, 13.cm colour>

Discussion

The discovery of preserved goat hair in a Corded Ware context provides the oldest evidence for goats in Finland. As goat is not a native species to Finland, the preserved goat hairs seem to suggest the presence of goat herding. We must, however, keep in mind that this discovery comes from a mortuary context. Burials and their associated goods do not always reflect the realities of the lives of the interred individual (e.g. Parker Pearson 1999). The goatskin might, for example, represent a valued gift originating from areas practising pastoral economy. Given that milk residues originating from domestic stock have already been discovered among Finnish Corded Ware pottery (Cramp *et al.* 2014), it could also be plausible that goat herding was practised at the very northern border of the Corded Ware phenomenon.

The archaeological context from which the Perttulanmäki hair samples originated (the dark, hide-like feature covering the pit walls and floor) suggests the probable placement of a goat skin in the grave. Even though Äyräpää (1931: 10–11) interpreted the feature as a chamber made of skins, the double hook-shaped feature (Figure 3) could also be interpreted as the remains of several overlaid hides or skins, with the skin(s) being used to cover or to separate the dead from the floor of the pit. The grave may also have had a wooden chamber, but no evidence of this was discovered.

Moreover, the skins of other animal species may also have been present.

The discovery of hairs in a Neolithic context was unexpected, considering the generally poor preservation of organic materials from the Finnish Stone Age. It is noteworthy, however, that keratin resists degradation by acids, which have no effect on sulphur bonds and only minimal effect on peptide bonds (Tímár-Balázs & Eastop 1998). Microscopic remains of animal skins might, therefore, be discovered in other graves. Unfortunately, soil samples are not available from the other Finnish Corded Ware graves in which a similar dark feature with hook-shaped corners has been documented (e.g. Torvinen 1979: 42–43). At Perttulanmäki, it is possible that the iron (Fe) present in the soil samples aided the preservation of the fibres.

Fibre mineralisation meant that our findings could not be verified by ancient DNA (aDNA).

Furthermore, mass spectrometric analysis was not undertaken because the samples were of

inadequate size. The identification of the fibres as domestic goat was then based solely on morphological identification. This is not completely unproblematic as domestic animals have undergone hundreds of years of selective breeding that has altered the hair morphology (Meyer *et al.* 1997, 2000; Houck & Budowle 2002; Brandt *et al.* 2014; Leroy *et al.* 2015). There are, for example, well-known modern goat breeds that are bred specifically for their fine hair, such as Cashmere, which produce cashmere wool, and Angora, which produce mohair fibre. The Finnish Landrace goat, with its coarse, double-coated fleece, was, and still is, mainly bred for milk production. Despite these two different forms of goat husbandry, however, domestic goats show no clear differences from their wild relatives in cuticle structure; artificial selection has not focused principally on the quality of the goat hair (De Marinis & Asprea 2006a & b). Even without bioarchaeological analysis, however, we can confidently state that the morphology of the best-preserved, fine, intermediate and guard hair fragments from the Perttulanmäki grave most closely match those of domesticated goat.

The identification of the Perttulanmäki goat hair offers a rare opportunity to observe the relationship between people and animals (e.g. Ingold 2000; Willerslev 2007). Burials of early pastoralists in south-east Europe were accompanied by sacrificed goats, sheep, cattle and horses. This suggests that the spread of the new subsistence economy was deeply intertwined with new ritual values (Anthony 2007: 160–61). The goatskin discovered in the Perttulanmäki grave hence not only indicates animal husbandry, but also the special role of domesticated animals in Corded Ware cosmology. Still deeper insight is gained when observing the use of goatskin from the perspective of identity, a feature commonly emphasised in Corded Ware mortuary practices (e.g. Vander Linden 2007: 185; Larsson 2009: 354). As Larsson (2009: 354) has stated:

For the Battle Axe members (Battle Axe culture is an alternative name for the Corded Ware culture of Scandinavia), the mortuary event established the deceased as a worthy representative of the society, perfect and idealized since the dead body is both mute and immobile. The ideal Battle Axe burial should contain a properly oriented body in the right position, with the correct set of burial gifts indicating that this was a true member of the community—and by extension, so were those that officiated at the funeral.

The identity emphasised by the Perttulanmäki goatskin could belong to a pastoral farming community in which the correct set of burial gifts also included domesticated animals. This interpretation does not rule out the presence of a mixed economy in which cultivation, or hunting, fishing and gathering were also practised, although these are not clearly evidenced in the Perttulanmäki grave inventory (e.g. Müller *et al.* 2009; Furholt 2014; Sjögren *et al.* 2016). The

animal accompaniment could be present in various forms. Several Corded Ware burials in the Baltic area have been furnished with artefacts made of domestic animal bone (Zagorska 2006: 103; Lõugas *et al.* 2007: 25–26; Larsson 2009: 63). That all milk residues from Finnish Corded Ware pottery were found exclusively in beaker-type ‘drinking’ vessels (Cramp *et al.* 2014: 4) further supports this idea. These beakers are usually found in grave deposits (Edgren 1970: 76–77; Larsson 2009: 352), so the animal could have also been represented by placing milk, or a vessel connected with milk, in the grave (Edgren 1970: 76–77; Larsson 2009: 352). This being said, it must be noted that, due to the vast distribution area of the Corded Ware phenomenon, the same objects or symbols might not have been connected with the same ideas (Furholt 2014: 82). Moreover, some prehistoric societies might have also repeated the ritual practice simply as tradition—after its original meaning had been forgotten (Nilsson Stutz 2003: 319). It has even been proposed that the search for the meaning behind these actions should be abandoned, and that the focus should be directed to the ways in which these ritualised actions can be observed in the physical remains of mortuary practices (Berggren & Nilsson Stutz 2010). In that perspective, it is evident that the use of axes, adzes and pottery vessels as grave goods (at least in Finland) is in clear contrast to the graves of local Neolithic hunter-gatherers, where such artefacts are only rarely encountered (Ahola 2015: 33). This suggests the introduction of new mortuary practices, where a differing identity of the deceased is heavily emphasised. Thus, even if the symbols were interpreted differently by the original participants, or the ritual practices repeated with only a vague understanding of their original meaning, the recurring presence of domesticated animals in the burials suggests that the herder identity was initially at the very core of the Corded Ware belief system.

Conclusions

Our return to Perttulanmäki nearly 90 years after Äyräpää’s excavations, the application of modern microscopic analyses and reanalysis of the soil samples collected from the dark feature surrounding the burial has yielded striking results. Remarkably, using SEM micrographs, we discovered preserved Neolithic animal hairs in samples that Äyräpää had collected. Even though the mineralised fibres were poorly preserved and therefore unsuitable for aDNA or mass spectrometric analyses, we were nevertheless able to identify the species from which the animal hairs derived. We have therefore discovered the oldest evidence of domestic goat in Neolithic Finland. Although this discovery indicates the practice of a pastoralist herding economy in the Late Neolithic of this region, the ritual context of the find also suggests that the herder identity played a significant role in the Corded Ware belief system.

Acknowledgements

We would like to thank Volker Heyd (Bristol University) for his valuable comments, Kirsi Ripatti (Helsinki University) for providing article translations, and Tuuli Kirkinen for the drawings. We acknowledge the provision of facilities and technical support by Aalto University at OtaNano—Nanomicroscopy Center. For funding this project, we thank the Academy of Finland (Nature in Arts, Culture and History, ‘Temporal Sedimentations of Landscape and the Diversity of Nature’ project, 1278008), and the Doctoral School of History and Cultural Heritage at the University of Helsinki. NM in sample numbers refers to The Archaeological Collections of the National Board of Antiquities, Finland.

References

- AHOLA, M. 2015. Tracing Neolithic funerary practices from Finnish Ochre Graves—a case study from Kukkarikoski Comb Ware burial ground, in M.L. Honkasalo, K. Koski & K. Kanerva (ed.) Theme issue: Images of afterlife. *Thanatos* 4: 23–41. Available at: https://thanatosjournal.files.wordpress.com/2016/01/ahola_neolithic.pdf (accessed Jan 15th 2016).
- ALLENTOF, M.E., M. SIKORA, K.-G. SJÖGREN, S. RASMUSSEN, M. RASMUSSEN, J. STENDERUP, P.B. DAMGAARD, H. SCHROEDER, T. AHLSTRÖM, L. VINNER, A.-S. MALASPINAS, A. MARGARYAN, T. HIGHAM, D. CHIVALL, N. LYNNERUP, L. HARVIG, J. BARON, P. DELLA CASA, P. DABROWSKI, P.R. DUFFY, A.V. EBEL, A. EPIMAKHOV, K. FREI, M. FURMANEK, T. GRALAK, A. GROMOV, S. GRONKIEWICZ, G. GRUPE, T. HAJDU, R. JARYSZ, V. KHARTANOVICH, A. KHOKHLOV, V. KISS, J. KOLÁR, A. KRIISKA, I. LASAK, C. LONGHI, G. MCGLYNN, A. MERKEVICIUS, I. MERKYTE, M. METSPALU, R. MKRTCHYAN, V. MOISEYEV, L. PAJA, G. PÁLFI, D. POKUTTA, Ł. POSPIESZNY, T.D. PRICE, L. SAAG, M. SABLIN, N. SHISHLINA, V. SMRCKA, V.I. SOENOV, V. SZEVEŘÉNYI, G. TÓTH, S.V. TRIFANOVA, L. VARUL, M. VICZE, L. YEPISKOPOSYAN, V. ZHITENEV, L. ORLANDO, T. SICHERITZ-PONTÉN, S. BRUNAK, R. NIELSEN, K. KRISTIANSEN & E. WILLERSLEV. 2015. Population genomics of Bronze Age Eurasia. *Nature* 522: 167–72. <https://doi.org/10.1038/nature14507>
- ANTHONY, D.W. 2007. *The horse, the wheel and language. How Bronze-Age riders from the Eurasian Steppes shaped the modern world*. Princeton (NJ) & Oxford: Princeton University Press.
- APPLEYARD, H.M. 1978. *Guide to the identification of animal fibres*. Leeds: Wira.
- ÄYRÄPÄÄ, A. 1923. Säkkijärven Ravin kivikautiset asuinpaikat. *Suomen museo* 29: 20–31.
- 1930. Kauhavan kivikautinen hauta y.m. löytöjä lähistöltä. Tutkinut Aarne Äyräpää. Report prepared for the Finnish National Board of Antiquities, Helsinki.
- 1931. Kauhavan Perttulanmäen kivikautinen hauta. *Suomen museo* 38: 1–15.

- 1939. Suomen kivikauden kulttuurimuodot. *Suomalaisen tiedeakatemian esitelmät ja pöytäkirjat* 1937: 101–26.
- BERGGREN, Å. & L. NILSSON STUTZ. 2010. From spectator to critic and participant. A new role for archaeology in ritual studies. *Journal of Social Archaeology* 10: 171–97.
<https://doi.org/10.1177/1469605310365039>
- BLÄUER, A. & J. KANTANEN. 2013. Transition from hunting to animal husbandry in southern, western and eastern Finland: new dated osteological evidence. *Journal of Archaeological Science* 40: 1646–66. <https://doi.org/10.1016/j.jas.2012.10.033>
- BRANDT, L.Ø., A.L. SCHMIDT, U. MANNERING, M. SARRET, C.D. KELSTRUP, J. OLSEN & E. CAPPELLINI. 2014. Species identification of archaeological skin objects from Danish bogs: comparison between mass spectrometry-based peptide sequencing and microscopy-based methods. *PLoS ONE* 9: e106875. <https://doi.org/10.1371/journal.pone.0106875>
- CRAMP, L.J.E., R.P. EVERSLED, M. LAVENTO, P. HALINEN, K. MANNERMAA, M. OINONEN, J. KETTUNEN, M. PEROLA, P. ONKAMO & V. HEYD. 2014. Neolithic dairy farming at the extreme of agriculture in northern Europe. *Proceedings of the Royal Society B, Biological Sciences* 281(1791): 1–9. <https://doi.org/10.1098/rspb.2014.0819>
- DE MARINIS, A. & A. ASPREA. 2006a. Hair identification key of wild and domestic ungulates from Southern Europe. *Wildlife Biology* 12: 305–20. [https://doi.org/10.2981/0909-6396\(2006\)12\[305:HIKOWA\]2.0.CO;2](https://doi.org/10.2981/0909-6396(2006)12[305:HIKOWA]2.0.CO;2)
- 2006b. How did domestication change the hair morphology in sheep and goats? *Human Evolution* 21: 139–49. <https://doi.org/10.1007/s11598-006-9010-0>
- EBBESSEN, K. 2006. *The Battle Axe period. Stridsøksetid*. Copenhagen: Attika.
- EDGREN, T. 1958. Ekenäs-graven. Ett bidrag till kännedomen om båtbyxkulturen i östra Nyland. *Finskt museum* 65: 27–49.
- 1970. *Studier över den snökeramiska kulturens keramik i Finland* (Suomen Muinaismuistoyhdistyksen Aikakauskirja 72). Helsinki: Suomen muinaismuistoyhdistys.
- 1984. Kivikausi, in Y. Blomstedt (ed.) *Suomen historia* I: 19–97. Espoo: Weilin+Göös.
- FISCHER, U. 1956. *Die Gräber der Steinzeit im Saalegebiet: Studien über neolitische und frühbronzezeitliche Grab- und Bestattungsformen in Sachsen-Thüringen*. Berlin: De Gruyter.
<https://doi.org/10.1515/9783110839388>
- FURHOLT, M. 2014. Upending a ‘totality’: re-evaluating Corded Ware variability in Late Neolithic Europe. *Proceedings of the Prehistoric Society* 80: 67–86. <https://doi.org/10.1017/ppr.2013.20>
- Furskin Co. 2011. Furskin identification. Resource document. Available at: <http://www.furskin.cz/> (accessed 25 August 2017).

- HAAK, W., G. BRANDT, H. DE JONG, C. MEYER, R. GANSLMEIER, V. HEYD, C. HAWKESWORTH, W. ALISTAIR, A.W.G. PIKE, H. MELLER & K. ALT. 2008. Ancient DNA, strontium isotopes, and osteological analyses shed light on social and kinship organization of the Later Stone Age. *Proceedings of the National Academy of Sciences of the USA* 105: 18226–31. <https://doi.org/10.1073/pnas.0807592105>
- Haak, W., I. Lazaridis, N. Patterson, N. Rohland, S. Mallick, B. Llamas, G. Brandt, S. Nordenfelt, E. Harney, K. Stewardson, Q. Fu, A. Mittnik, E. Bánffy, C. Economou, M. Francken, S. Friederich, R. Garrido Pena, F. Hallgren, V. Khartanovich, A. Khokhlov, M. Kunst, P. Kuznetsov, H. Meller, O. Mochalov, V. Moiseyev, N. Nicklisch, S.L. Pichler, R. Risch, M.A. Rojo Guerra, C. Roth, A. Szécsényi-Nagy, J. Wahl, M. Meyer, J. Krause, D. Brown, D. Anthony, A. Cooper, K.W. Alt & D. Reich. 2015. Massive migration from the steppe was a source for Indo-European languages in Europe. *Nature* 522:207–11. <https://doi.org/10.1038/nature14317>
- HANSEN, M. 1994. Wooden burial cists from the Single Grave Culture and the Late Neolithic. *KUML—Årbog for Jysk Arkæologisk Selskab* 1993–94: 87–146.
- HECHT, D. 2007. Das Siedlungswesen der Schnurkeramik im südlichen Mitteleuropa. Eine Studie zu einer vernachlässigten Fundgattung im Übergang vom Neolithikum zur Bronzezeit. Unpublished PhD dissertation, University of Heidelberg. Available at: <http://archiv.ub.uni-heidelberg.de/volltextserver/7313/> (accessed 15 August 2017).
- HEYD, V. 2011. Yamnaya groups and tumuli west of the Black Sea, in E. Borgna & S. Müller-Celka (ed.) *Burial mounds in the Copper and Bronze Ages (Central and Eastern Europe—Balkans—Adriatic—Aegean, 4th–2nd millennium B.C.)*: 535–55. (Les Travaux de la Maison de l’Orient 58). Lyon: Maison de l’Orient et de la Méditerranée.
- HOUCK, M. & B. BUDOWLE. 2002. Correlation of microscopic and mitochondrial DNA hair comparisons. *Journal of Forensic Sciences* 47(5): 1–4. <https://doi.org/10.1520/JFS15515J>
- INGOLD, T. 2000. *The perception of the environment. Essays in livelihood, dwelling and skill*. London & New York: Routledge. <https://doi.org/10.4324/9780203466025>
- KIVIKOSKI, E. 1934. Paimion Rukkijoen vasarakirveshauta. *Suomen museo* 41: 34–40.
- KRISTIANSEN, K., M.E. ALLETOFT, K.M. FREI, R. IVERSEN, N.N. JOHANNSEN, G. KROONEN, L. POSPIESZNY, D.T. PRICE, S. RASMUSSEN, K.-G. SJÖGREN, M. SIKORA & E. WILLERSLEV. 2017. Re-theorising mobility and the formation of culture and language among the Corded Ware Culture in Europe. *Antiquity* 91 356: 334–47. <http://doi:10.15184/aqy.2017.17>
- LAPPALAINEN, M. 2007. Punamullan pauloissa. Kivikauden hautatutkimuksen tutkimushistoria Suomessa. *Muinaistutkija* 3(2007): 2–19.

- LARSSON, Å.M. 2009. *Breaking and making bodies and pots. Material and ritual practices in Sweden in the third millennium BC* (Aun 40). Uppsala: Uppsala Universitet.
- LEROY, G., B. BESBES, P. BOETTCHER, I. HOFFMANN, A. CAPITAN & R. BAUMUNG. 2015. Rare phenotypes in domestic animals: unique resources for multiple applications. *Animal Genetics* 2015: 1–13.
- LÕUGAS, L., A. KRIISKA & R. MALDRE, 2007. New dates for the Late Neolithic Corded Ware Culture burials and early husbandry in the East Baltic region. *Archaeofauna* 16: 21–31.
- MALMER, M.P. 1962. *Jungneolithische Studien* (Acta Archaeologica Lundenesia Series in 8, nr 2). Lund: Gleerup.
- MEURKENS, L., R. VAN BEEK, M. DOORENBOSCH, H. FOKKENS, E. HEUNKS, C. DEBONO SPITERI, S. KNIPPENBERG, E. MEIRSMAN, E. VAN HEES & A. VERBAAS. 2015. A Late Neolithic single grave culture burial from Twello (central Netherlands): environmental setting, burial ritual and contextualisation. *Analecta Praehistorica Leidensia* 45: 29–53.
- MEYER, W., H. SEGER, G. HÜLMANN & K. NEURAND. 1997. Species determination of mammals based on the hair cuticle pattern—a comparison of domestic mammals and their wild ancestors from the forensic viewpoint. *Archiv für Kriminologie* 200: 45–55.
- MEYER, W., A. SCHNAPPER, G. HÜLMANN & H. SEGER. 2000. Domestication-related variations of the hair cuticle pattern in mammals. *Journal of Animal Breeding and Genetics* 117: 281–83.
<https://doi.org/10.1046/j.1439-0388.2000.00260.x>
- MEYER, C., G. BRANDT, W. HAAK, R.A. GANSLMEIER, H. MELLER & K.W. ALT. 2009. The Eulau eulogy: bioarchaeological interpretation of lethal violence in Corded Ware multiple burials from Saxony-Anhalt, Germany. *Journal of Anthropological Archaeology* 28(2009): 412–23.
<https://doi.org/10.1016/j.jaa.2009.07.002>
- MÜLLER, J., T. SERGÉLY, C. BECKER, A.-M. CHRISTENSEN, M. FUCHS, H. KROLL, D. MISCHKA & U. SCHÜSSLER. 2009. A revision of Corded Ware settlement pattern—new results from the Central European low mountain range. *Proceedings of the Prehistoric Society* 75: 125–42.
<https://doi.org/10.1017/S0079497X00000323>
- NILSSON STUTZ, L. 2003. *Embodied rituals & ritualized bodies. Tracing ritual practices in Late Mesolithic burials*. Stockholm: Almqvist & Wiksell International.
- NORDQVIST, K. & P. HÄKÄLÄ. 2014. Distribution of Corded Ware in the areas north of the Gulf of Finland—an update. *Estonian Journal of Archaeology* 18(2014): 3–29.
<https://doi.org/10.3176/arch.2014.1.01>
- PARKER PEARSON, M. 1999. *The archaeology of death and burial*. Thrupp: Sutton Publishing.
- PURHONEN, P. 1986. Vantaan Jönsaksen nuorakeraamiset haudat. *Iskos* 6: 113–25.

- RAST-EICHER, A. 2016. *Fibres: microscopy of archaeological textiles and furs*. Budapest: Archaeolingua.
- SIIRIÄINEN, A. 1974. Nuorakeraamisen kulttuurin hauta Teuvalla. *Suomen museo* 81: 5–14.
- SJÖGREN, K.-G., T.D. PRICE & K. KRISTIANSEN. 2016. Diet and mobility in the Corded Ware of Central Europe. *PLoS ONE* 11: e0155083. <https://doi.org/10.1371/journal.pone.0155083>
- TEERINK, B. 2003. *Hair of West-European mammals. Atlas and identification key*. Cambridge: Cambridge University Press.
- TÍMÁR-BALÁZSY, Á. & D. EASTOP. 1998. *Chemical principles of textile conservation*. Oxford: Butterworth-Heinemann.
- TORVINEN, M. 1979. Liedon Kukkarkosken kivikautinen kalmisto. *Suomen museo* 82: 37–80.
- VANDER LINDEN, M. 2007. For equalities are plural: reassessing the social in Europe during third millennium BC. *World Archaeology* 39: 177–93. <https://doi.org/10.1080/00438240701249678>
- WILLERSLEV, R. 2007. *Soul hunters: hunting, animism, and personhood among the Siberian Yukaghirs*. Berkeley & Los Angeles: University of California Press.
<https://doi.org/10.1525/california/9780520252165.001.0001>
- ZAGORSKA, I. 2006. Radiocarbon chronology of the Zvejnieki burials, in L. Larsson & I. Zagorska (ed.) *Back to the origin. New research in the Mesolithic–Neolithic Zvejnieki cemetery and environment, northern Latvia*: 91–113. Stockholm: Almqvist & Wiksell International.

Figure captions

Figure 1. Location of the Perttulanmäki site. The distribution of the Corded Ware phenomenon in Finland is marked with orange. Map: K. Vajanto.

Figure 2. Artefacts from the Perttulanmäki burial: a) sherds of Corded Ware pottery, b) two stone adzes, c) a wheat stone. Photographs: M. Ahola.

Figure 3. Stratigraphic profile of the Perttulanmäki grave: 1) top soil; 2) natural layers of rust; 3) the grave structure (drawn by K. Vajanto, based on map by A. Äyräpää (1930: map 3).

Figure 4. The Perttulanmäki grave at a depth of around 0.7m, facing south. Photograph: A. Äyräpää (1930)/Finnish National Board of Antiquities.

Figure 5. Maps of the Perttulanmäki grave from depths of approximately 0.6–0.9m. (Drawn by K. Vajanto, based on maps by A. Äyräpää (1930: maps 1–4): a) the grave at 0.6–0.65m depth, with samples NM 9252:2–3 locations; b) the grave at a depth of around 0.7m; c) the grave at a depth of 0.8–0.9m with samples NM 9252:5–6 locations. In this map: a) location of the molar fragment; b) location of the adze; c–d) Äyräpää's interpretation (1930) of the locations of the pelvis and the feet of the deceased; and e) natural rust layers.

Figure 6. The structure of mammalian hair (drawing: T.A. Kirkinen).

Figure 7. SEM of a fine hair from sample NM 9252:4 (photograph: K. Vajanto).

Figure 8. SEM of a guard hair from sample NM 9252:2 (a), compared to Finnish Landrace goat hair (b). Note the biconcave cross-section of the hairs (photograph: K. Vajanto and T. Kirkinen).

Figure 9. SEM of a guard hair from sample NM 9252:2 (a), compared to Finnish Landrace goat hair (b) (photograph: K. Vajanto).

Figure 10. SEM of an intermediate/guard hair from sample NM 9252:2 (a), compared to Finnish Landrace goat hair (b) (photograph: K. Vajanto and T. Kirkinen).